

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** 10/790,123

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Tuesday  
Date: 11/21/2006

Time: 16:31:19

 **PALM INTRANET**

## Inventor Information for 10/790123

Inventor Name	City	State/Country
<u>TANAKA, TOSHINORI</u>	TOKYO	JAPAN
<u>OKAMOTO, KIYOHIDE</u>	TOKYO	JAPAN
<u>MATSUI, YUUSUKE</u>	TOKYO	JAPAN
<u>YAMAMOTO, KYOUHEI</u>	TOKYO	JAPAN
<u>ISONO, SHUJI</u>	TOKYO	JAPAN
<u>MEGATA, HIDEKI</u>	TOKYO	JAPAN
<u>FUKAZAWA, KEIICHI</u>	TOKYO	JAPAN
<u>OHATA, KATSUMI</u>	TOKYO	JAPAN
<u>FUJIMOTO, KENGO</u>	TOKYO	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)Search Another: Application#   or Patent#  PCT /  /   or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

1	US 7114236 B2	20061003	Method for manufacturing an armature for a dynamo-electric machine having offsetting and overlapping coils	29/596	242/433.3; 29/597; 29/598; 29/605; 29/606; 29/609; 310/179; 310/198	Tanaka; Toshinori et al.
1	US 6952067 B2	20051004	Rotary electric machine and a method of producing the same	310/248	310/233; 451/418	Tanaka; Toshinori et al.
1	US 6949859 B2	20050927	Commutator assembly for motor	310/234	310/233	Nakayama; Eiji et al.
1	US 6936949 B2	20050830	Rotation angle detecting apparatus	310/218	310/179; 310/216; 310/217; 310/261	Akutsu; Satoru et al.
1	US 6882080 B2	20050419	Permanent magnet synchronous motor	310/216	310/254	Tanaka; Toshinori et al.
1	US 6876116 B2	20050405	Permanent magnet motor	310/156.47	310/254	Nakano; Masatsugu et al.
1	US 6853105 B2	20050208	Permanent magnet motor	310/156.47	310/254	Nakano; Masatsugu et al.
1	US 6844649 B2	20050118	Armature for a dynamo-electric machine having offsetting and overlapping coils	310/195	310/179; 310/184; 310/204	Tanaka; Toshinori et al.
1	US 6787963 B2	20040907	Brush assembly	310/248	310/249; 310/251; 310/252; 310/253	Tanaka; Toshinori et al.
1	US 6774525 B2	20040810	Dynamo-electric machine	310/233	310/206; 310/207; 310/71	Tanaka; Toshinori et al.
1	US 6750574 B2	20040615	Motor for use with motorized power steering apparatus	310/68B	310/89; 310/90	Okazaki; Masafumi et al.
1	US 6731040 B1	20040504	Brush motor for electric power steering system	310/233	310/235; 310/236; 310/245;	Tanaka; Toshinori et al.

					310/248	
1	US 6707185 B2	20040316	Electric power steering apparatus	310/71	310/68B; 310/89	Akutsu; Satoru et al.
1	US 6703751 B2	20040309	Dynamo-electric machine	310/198	310/195; 310/197; 310/225; 310/234	Tanaka; Toshinori et al.
1	US 6674195 B2	20040106	Electric motor with improved terminal connector	310/71	310/40R; 310/66; 310/68R	Yagyū; Yasuhide et al.
1	US 6600244 B2	20030729	Electric motor	310/71		Okazaki; Masafumi et al.
1	US 6507132 B2	20030114	Commutator motor with a vibration-isolating member around shaft	310/51	310/233; 310/235	Nakano; Toshihiro et al.
1	US 6462454 B2	20021008	Rotary electric machine	310/207	310/185; 310/198	Yamamoto; Kyouhei et al.
1	US 6462452 B2	20021008	Permanent magnet motor	310/156.47	310/156.43	Nakano; Masatsugu et al.
1	US 6435971 B1	20020820	Electric power steering apparatus	464/29	180/443; 310/94	Tanaka; Toshinori
1	US 6388355 B2	20020514	Motor for an electric power steering assembly	310/179	310/204; 310/206; 310/233	Tanaka; Toshinori et al.
1	US 6388354 B1	20020514	Motor for an electric power steering assembly	310/179	310/206; 310/233	Tanaka; Toshinori et al.
1	US 6329735 B1	20011211	Commutator motor	310/239	310/89	Tanaka; Toshinori et al.
1	US 6236137 B1	20010522	Commutator motor	310/233	310/204; 310/206; 310/234	Tanaka; Toshinori et al.
1	US 6218755 B1	20010417	Dynamo-electric machine and method of manufacture therefor	310/204	310/198; 310/234; 310/71	Tanaka; Toshinori et al.
1	US 6181046	20010130	Dynamo-electric machine with	310/236	310/204; 310/206;	Daikoku; Akihiro et

	B1		commutator assembly		310/DIG.6	al.
1	US 6127759 A	20001003	Motor for an electric power steering assembly	310/233	310/179; 310/198; 310/234; 310/235; 310/249; 310/264	Tanaka; Toshinori et al.
1	US 6075305 A	20000613	Dynamo-electric machine	310/233	310/128; 310/133; 310/180; 310/204; 310/231; 310/234; 310/72	Daikoku; Akihiro et al.
1	US 6057626 A	20000502	Commutator for a dynamo-electric machine and method of manufacture therefor	310/233	29/597; 310/204; 310/235; 310/236; 310/43	Tanaka; Toshinori et al.
1	US 6057623 A	20000502	Dynamo-electric machine having a hook shaped commutator and equalizer attached thereto	310/206	310/204; 310/205; 310/220; 310/221; 310/233; 310/234	Tanaka; Toshinori et al.
1	US 6043581 A	20000328	Dynamo-electric machine and method of manufacture therefor	310/197	29/597; 310/180; 310/195; 310/225; 310/234	Tanaka; Toshinori et al.
1	US 6000689 A	19991214	Automatic paper feeder	271/10.11	271/122; 271/125; 271/126; 271/127	Furuki; Ichiro et al.
1	US 5777412 A	19980707	Throttle actuator	310/83	123/337; 251/129.11	Yamamoto; Kyouhei
1	US 5676477 A	19971014	Sheet carrying apparatus	400/579	101/228; 250/559.37; 271/227	Tanaka; Naoya et al.
1	US 5609428 A	19970311	Sheet carrying apparatus	400/579	101/228; 250/559.37; 271/227	Tanaka; Naoya et al.
1	US	19961210	Method for making	101/32	101/170;	Tanaka;

	5582103 A		an anti-counterfeit latent image formation object for bills, credit cards, etc.		101/3.1; 283/91; 283/93	Toshinori et al.
1	US 5443579 A	19950822	Printed matter and method for printing the same	283/93		Tanaka; Toshinori et al.
1	US 5437897 A	19950801	Anti-counterfeit latent image formation object for bills, credit cards, etc. and method for making the same	428/29	101/150; 428/195.1; 428/30; 428/915; 428/916	Tanaka; Toshinori et al.
1	US 5359249 A	19941025	AC generator with tapered slots	310/216	29/596; 310/42	Tanaka; Toshinori
1	US 5281575 A	19940125	Laser ablation method for forming oxide superconducting films	505/474	427/126.3; 427/314; 427/557; 427/596; 427/62; 505/730; 505/732	Hase; Takashi et al.
1	US 5250864 A	19931005	AC generator for vehicles	310/58	310/89	Kusumoto; Katsuhiko et al.
1	US 5241230 A	19930831	Cooling fan with reduced noise capability in an AC generator	310/62	29/889.7; 416/223R	Tanaka; Toshinori et al.
1	US 5235229 A	19930810	Vehicular AC generator	310/62	310/63; 310/89	Tanaka; Toshinori et al.
1	US 5233255 A	19930803	AC generator for vehicles	310/263	310/179	Kusumoto; Katsuhiko et al.
1	US 5232027 A	19930803	Apparatus for serving soft ice cream or the like	141/270	141/114; 141/252; 141/269; 141/276; 141/284; 141/81; 222/103; 222/105; 222/95;	Tanaka; Toshinori et al.

					426/516	
1	US 5169671 A	19921208	Food containing fructose polymer	426/658	426/565; 426/570; 426/589; 426/590; 426/603; 426/605; 426/613; 426/652; 426/653; 426/804	Harada; Tsutomu et al.
1	US 5160944 A	19921103	Thermal printer with anti-slip sheet conveying mechanism	347/219	101/408; 346/134; 347/176; 400/578; 400/611; 400/612; 400/618; 400/636	Fukumoto; Hiroshi et al.
1	US 5157978 A	19921027	Starter apparatus with planetary speed reduction gear	74/7E	74/7R; 74/DIG.10	Morishita; Akira et al.
1	US 5111093 A	19920505	Engine starter with dust seal arrangement	310/88	277/562; 310/83; 74/7A	Tanaka; Toshinori
1	US 5101114 A	19920331	Starter motor	290/48	310/88; 310/89; 74/6; 74/7A	Isozumi; Shuzou et al.
1	US 5019739 A	19910528	Dc motor for automotive engine starter	310/233	310/83	Isozumi; Shuzoo et al.
1	US 5012686 A	19910507	Pinion shifting mechanism of an engine starter	74/7A	123/179.25; 290/48; 74/6; 74/7R	Morishita; Akira et al.
1	US 4983941 A	19910108	Electromagnetically operated switch	335/255	335/260	Tanaka; Toshinori
1	US 4978874 A	19901218	Coaxial type engine starter with hollow armature shaft	310/83	310/71	Isozumi; Shuzoo et al.
1	US 4958950 A	19900925	Paper feeder for printer	400/629	400/624; 400/628; 400/649	Kobayashi; Yousuke et al.
1	US 4933587	19900612	DC motor having improved contact	310/233	310/234; 310/45;	Tanaka; Toshinori

	A		between commutator and armature		310/71	et al.
1	US 4926705 A	19900522	Starter device for internal combustion engines	74/6	123/179.25; 74/7R	Morishita; Akira et al.
1	US 4913689 A	19900403	Pulley with a high-friction groove surface and manufacturing method therefor	474/170	474/174	Morishita; Akira et al.
1	US 4905361 A	19900306	Method for manufacturing pulley with a high-friction groove surface	29/892		Morishita; Akira et al.
1	US 4900945 A	19900213	Engine starter	290/48	310/42; 74/7C	Isozumi; Shuzoo et al.
1	US 4899605 A	19900213	Starter with planet gear speed reducer	74/7E	277/640; 475/149; 475/331	Tanaka; Toshinori
1	US 4895233 A	19900123	Electromagnetic coupling apparatus equipped with heat pipes	192/21.5	188/264CC; 188/267; 192/113.23	Inoue; Hitoshi et al.
1	US 4894905 A	19900123	Method of forming armature core of electric rotating machine	29/598	29/605; 29/609; 310/217; 310/42; 72/142	Tanaka; Toshinori et al.
1	US 4894904 A	19900123	Method of forming armature core of electric rotating machine	29/598	29/605; 29/609; 310/217; 310/42; 72/142	Tanaka; Toshinori et al.
1	US 4893042 A	19900109	Rotor for DC motor	310/216	310/195; 310/261; 310/42	Tanaka; Toshinori
1	US 4886306 A	19891212	Starter	290/48	74/7R	Tanaka; Toshinori et al.
1	US 4876473 A	19891024	Armature	310/216	310/208; 310/215; 310/261; 310/45	Tanaka; Toshinori et al.



1	US 4868442 A	19890919	Disk commutator starter with one- piece cup-shaped case	310/239	123/179.25; 290/48; 310/237; 310/89	Isozumi; Shuzoo et al.
1	US 4868407 A	19890919	Engine starter motor	290/48	74/7A	Isozumi; Shuzo et al.
1	US 4859895 A	19890822	Armature coil slots having grooves formed in its throat	310/261	310/216	Morishita; Akira et al.
1	US 4856631 A	19890815	Permanent magnet coupling torque limiter	192/21.5	192/110R; 192/56.1; 464/29	Okamoto; Kiyohide et al.
1	US 4855610 A	19890808	Starting electric motor	290/48	74/7A	Morishita; Akira et al.
1	US 4853570 A	19890801	Coaxial engine starter with hollow shaft clutch	310/78	310/43; 310/89	Isozumi; Shuzoo et al.
1	US 4852417 A	19890801	Starter for engine	74/7E	310/83; 335/131; 475/149; 475/269; 74/7A; 74/7C	Tanaka; Toshinori
1	US 4851727 A	19890725	Permanent magnet type electric motor	310/154.16	310/154.26; 310/254; 310/40MM	Tanaka; Toshinori
1	US 4838100 A	19890613	Starter for engine	74/7A	290/38R; 310/154.09; 310/78; 310/92; 335/126; 74/7C; 74/7R	Tanaka; Toshinori
1	US 4831895 A	19890523	Starting motor	475/347	192/107R; 411/163; 475/265; 74/7E	Tanaka; Toshinori et al.
1	US 4819975 A	19890411	Engine starter motor	290/48	290/38R; 74/461; 74/640; 74/7E	Morishita; Akira et al.
1	US 4816712 A	19890328	Thrust compensation for flat-commutator	310/237	310/80	Tanaka; Toshinori

			starter			
1	US 4808836 A	19890228	Coaxial engine starter	290/48	74/6	Isozumi; Shuzo et al.
1	US 4770384 A	19880913	Movable stand	248/281.11	248/280.11; 362/402; 362/413	Kuwazima; Takashi et al.
1	US 4739295 A	19880419	Data storage unit system	235/379	235/492; 902/26	Hayashi; Makoto et al.
1	US 4736178 A	19880405	Lead-out arrangement for an electromagnetic switch	335/299	336/192	Tanaka; Toshinori
1	US 4727273 A	19880223	Permanent magnet type electric motor	310/154.29		Tanaka; Toshinori
1	US 4677407 A	19870630	Electromagnetic switch	335/202	335/278	Tanaka; Toshinori et al.
1	US 4664238 A	19870512	Electromagnetic coupling device	192/84.961	192/113.5; 192/48.2	Nishino; Hiroshi et al.
1	US 4622930 A	19861118	Engine starter protecting device	477/99	123/179.1; 123/179.3; 290/37A; 290/38D	Hamano; Isao et al.
1	US 4621197 A	19861104	Multi-function starter	290/38R	290/48; 318/4	Tanaka; Toshinori
1	US 4616740 A	19861014	Magnetic particle type electromagnetic coupling apparatus	192/21.5	192/212	Okamoto; Kiyohide et al.
1	US 4613007 A	19860923	Multi-function starter device	180/89.15	290/1R; 307/10.6	Tanaka; Toshinori et al.
1	US 4611697 A	19860916	Electromagnetic powder coupling with cooling fins	192/21.5	192/113.21	Okita; Ryosuke et al.
1	US 4596159 A	19860624	Starting system for internal combustion engine	74/7R	290/38R; 310/248; 318/293	Hamano; Isao et al.
1	US 4590385 A	19860520	Automatic starter	290/38E	74/513	Hamano; Isao et al.

1	US 4570583 A	19860218	Engine starter protecting device	477/99	123/179.1; 123/179.3; 290/37A; 290/38D	Hamano; Isao et al.
1	US 4559455 A	19851217	Accessory carrying type starting motor	290/38R	318/4	Tanaka; Toshinori
1	US 4558992 A	19851217	Pump device	417/250	417/350	Hamano; Isao et al.
1	US 4553441 A	19851119	Starting system for internal combustion engine	74/7R	290/38R; 310/92	Hamano; Isao et al.
1	US 4551640 A	19851105	Dual electronic switching device with reduced external terminals	327/514	327/478	Fukuyama; Toshifumi et al.
1	US 4543923 A	19851001	Engine starter	123/179.31	123/179.25; 74/6	Hamano; Isao et al.
1	US 4538085 A	19850827	Magneto-type D-C electric motor	310/239	310/154.16; 310/89	Tanaka; Toshinori
1	US 4525632 A	19850625	Starter motor for an internal combustion engine	290/38R	290/38A; 290/38B; 290/48; 310/87; 310/88; 74/7A; 74/7B; 74/7R	Tanaka; Toshinori
1	US 4507978 A	19850402	Starter	74/7E	475/269; 475/331; 475/343	Tanaka; Toshinori et al.
1	US 4500794 A	19850219	Apparatus for automatically starting and stopping engine	290/38C	123/146.5D; 123/179.3; 123/179.4; 290/37R; 290/38D	Hamano; Isao et al.
1	US 4497291 A	19850205	Full economizer for vehicles	123/179.4	123/179.16; 123/198DC	Hamano; Isao et al.
1	US 4495905 A	19850129	Starting device	123/179.31	123/179.19; 123/179.22; 123/179.25	Morishita; Akira et al.
1	US	19840807	Field system of	310/154.07	29/515;	Hamano;

	4464595 A		magnet type D.C. motor having magnetic flux reducing pole pieces		29/596; 310/42; 72/325	Isao et al.
1	US 4454437 A	19840612	Stator frame and housing for ventricular starting motor with reduction gears	310/83	310/154.08	Tanaka; Toshinori et al.
1	US 4223395 A	19800916	Volatile memory hold device	365/229	326/9; 327/198	Sakaguchi; Shunichi et al.